

JUHONG

PRODUCT CATALOG

产品目录

联系方式

邮箱: sales@jhstrapping.com

手机: +86 17826135709

官网: www.jhstrapping.com

地址: 江苏省常州市钟楼区邹区镇卜弋友谊北路 32 号

CONTACT

Email: sales@jhstrapping.com

Phone: +86 17826135709

Website: www.jsjhpackaging.com

Address: No.32 North Youyi Road, Zouqu, Zhonglou, Changzhou, Jiangsu, China



公司历史

COMPANY HISTORY

1997

- 成立常州市武进卜弋通达冲件厂（巨弘包装前身）
Established Changzhou Wujin Buyi Tongda Stamping Plant(the predecessor of Juhong Packing Materials)

1999

- 成功研发自动排扣
Successfully developed magazine strapping seal.

2005

- 获得“江苏质量信得过产品”荣誉证书
Awarded the honorary certificate of “Jiangsu Quality Trustworthy Product.”

2009

- 获得“常州市民营科技企业”认定证书，“江苏省民营科技企业”认定证书
Obtained the recognition certificates of “Private Science and Technology Enterprise of Changzhou City” and “Private Science and Technology Enterprise of Jiangsu Province.”

2010

- 江苏巨弘捆带制造有限公司成立
Jiangsu Juhong Strapping Manufacturing Co., Ltd. established

2011

- PET 打包带投产，钢带投产
Started production of PET strapping and steel strapping

2014

- 专利证书注册完成
Patent registered
- 一种去除冷轧钢带切边毛刺装置
Device for Removing Burrs from Steel Strap Edges
- 一种自动排扣
Automatic Magazine strapping seal
- 荣获江苏省科学技术厅颁发的“国家高新技术企业证书”
Awarded the “National High-tech Enterprise Certificate issued by the Jiangsu Provincial Department of Science and Technology.

2015

- “巨弘”商标注册成功
The trademark “Juhong” successfully registered
- 成立常州市高强度合金捆带工程技术研究中心
Established the Changzhou High-strength steel Strapping Engineering Technology Research Center.
- 新增钢带产线，月产能由 1000 吨增至 5000 吨。
New steel strapping line added, boosting monthly capacity from 1,000 to 5,000 tons.

2017

- PET 产线扩至 4 条，月产能由 150 吨增至 600 吨。
Expanded PET lines to four, boosting capacity from 150 to 600 tons/month.

2018

- 厂区面积由 6,000 m²扩至 20,000 m²。
Plant area enlarged from 6,000 m² to 20,000 m².

2021

- PE 缠绕膜投产
Started production of PE Stretch film

2022

- 通过美国铁路协会 (AAR) 认证
Obtained Association of American Railroads (AAR) certification

2025

- 公司名由“江苏巨弘捆带制造有限公司”升级为“巨弘包装材料（江苏）有限公司”。
Upgraded name from Jiangsu Juhong Strapping Manufacturing Co.,Ltd. to Juhong Packing Materials Jiangsu Co., Ltd.
- 第 3 条钢带生产线、第 4 条缠绕膜生产线、第 5 条 PET 生产线正在调试中，预计年底正式投产
3rd steel strapping, 4th stretch film, and 5th PET strapping lines are under commissioning and scheduled to start production by year-end 2025.

锁扣类型 Seal Type	带宽 Strap Width	锁扣长 * 厚 Seal L * T	带宽 Strap Width	锁扣长 * 厚 Seal L * T
	英寸 in	英寸 in	毫米 mm	毫米 mm
防滑扣 Serrated	3/4	1.02*.028	19	26*0.7
		1.10*.023		28*0.6
	5/8	1.02*.028	16	26*0.7
		1.10*.023		28*0.6
	1/2	1.02*.028	12.7	26*0.7
		1.10*.023		28*0.6
半闭式 Open-flange	1	2.16*.035	25	55*0.9
	1 1/4	2.16*.035	32/31.75	55*0.9
半开式 Thread-on	3/4	2.16*.035	19	55*0.9
	1 1/4	1.57*.028	32/31.75	40*0.7
		1.77*.031		45*0.8
		1.77*.028		45*0.7
		1.89*.035		48*0.9
		2*.035		50*0.9
开式 Snap-on	1/2	1.26*.023	12.7	32*0.6
	5/8	1.26*.023	16	32*0.6
	3/4	1.26*.023	19	32*0.6
自动排扣 Magazine	3/4	1.10*.023	19	28*0.6
	1 1/4	1.5*.031	32/31.75	38*0.8
		1.5*.040		38*1.0
		1.57*.040		40*1.0
		2*.040		50*1.0
		2*.043		51*1.1
	2	2.95*.040	50	75*1.0
		2.95*.05		75*1.2
十字扣 Cross-shaped	1 1/4	5.8*.035	32/31.75	148*0.9
直角扣 Right-angle	1 1/4	0.035	32/31.75	0.7

品类齐全 COMPLETE RANGE


钢带、塑料带专用打包扣一应俱全，涵盖闭式、开式、半开式、半闭式、自动排扣、防滑扣等多种类型，满足各类打包需求。

Comprehensive seals for both steel and plastic strapping, including Push, Snap-on, Thread-on, Open-flange, Magazine, and Serrated types—covering varied packaging need.

个性定制 CUSTOM BRANDING

支持冲压 LOGO 与外包装定制，提升品牌形象，打造更专业的包装方案。


Logo stamping and packaging customization available to elevate brand identity and deliver a more professional packaging solution.




开式扣
Snap on Seal




闭式扣
Push Seal



机用锁扣 (自动扣)
Magazine Seal



半开式
Thread-on Seal



半闭式
Open-flange Seal



防滑扣 Serrated Seal
(点状 Dotted)



防滑扣
Serrated Seal

缠绕膜 STRETCH FILM

系列 Series	膜层数 Film Layer	特征 Characteristics	颜色 Colour
极科 11 Xtr11	11 层 11-layer	出色的防穿刺和抗撕裂性能 Outstanding durability against punctures and tears 11 层不同材质交叉形成多层加固结构 Robust, Multi-layer cross-reinforced structure 运输过程中更佳的载荷稳定性 Improved load stability during transport 高性价比的产品表现 Cost-efficient performance 首选 Top choice	透明 Transparent
优智 7 Optima 7	7 层 7-layer	可靠的防穿刺和抗撕裂性能 Reliable puncture and tear resistance 多层交叉加固结构 Layered cross-reinforced structure 更佳的载荷稳定性 Enhanced load stability 性价比高且实用 Cost-efficient and practical	透明, 黑色, 白色, 定制颜色 Transparent, black, white, customized colour
基础 5 Base 5	5 层 5-layer	良好的防穿刺和抗撕裂性能 Strong puncture and tear resistance 良好的伸展性 Good stretchability 性价比产品 Cost-effective solution 环保设计 Eco-friendly design 热销款 Popular Choice	透明, 黑色, 白色, 定制颜色 Transparent, black, white, customized colour

应用场景 APPLICATION SCENARIOS



玻璃瓶
Bottle



仓储物流
Warehouse & Logistic



罐头
Can



石膏板
Gypsum board



纸卷
Paper



玻璃
Glass



轮毂
Wheel Hub

手用膜 HAND FILM

手用拉伸膜用于人工包装，厚度 8-35 微米，宽度 250、400、450、500 毫米，可满足不同需求。
Hand stretch film for manual wrapping, available in 8-35 μm thickness and widths of 250, 400, 450, and 500 mm to suit various needs.



厚度 Thickness	8-11 μm	12 μm	15-35 μm
宽度 Width	250,400,450,500 mm	250,400,450,500 mm	250,400,450,500 mm
净重 Net weight	0.7-4kgs	0.7-4kgs	0.7-8kg
延伸性 Stretchability	120-200%	150%-250%	150%-500%
颜色 Colour	Transparent	Transparent	Transparent, black, white, blue and customized color

迷你膜 MINI WRAP

迷你膜是手用拉伸膜中最小规格，也称迷你卷。适用于不同尺寸货物的缠绕与捆绑。可选通用型或左右手专用型，特点是小巧便捷、操作简单。
Mini wrap is the smallest type of hand stretch film, also known as mini roll. It is ideal for wrapping and bundling loads of different sizes. Offered in universal and left/right-handed versions, it is compact and easy to use.



厚度 Thickness	8-35 μm
宽度 Width	100,125mm
延伸性 Elongation	120-250%
颜色 Colour	透明，黑色，白色，蓝色和其他定制颜色 Transparent, black, white, blue and customized color

机用缠绕膜 MACHINE STRETCH FLIM

机用拉伸膜适用于各类缠绕机，实现快速全自动包装，广泛应用于制造和物流。
Machine stretch film fits diverse wrapping machines, enabling fast auto wrapping and widely used in manufacturing and logistics.



厚度 Thickness	8-9 μm	10-11 μm	12 μm
宽度 Width	250-2000 m	250-2000 m	250-2000 m
净重 Net weight	5-25 kg	5-25 kg	5-25 kg
延伸性 Elongation	120-180 %	120-200 %	120-250 %

厚度 Thickness	15-16 μm	17-23 μm	30-35 μm	40-50 μm
宽度 Width	250-2000 m	250-2000 m	250-2000 m	250-2000m
净重 Net weight	5-25 kg	5-25 kg	5-25 kg	5-25kgs
延伸性 Elongation	150-300 %	150-350 %	150%-370%	150-500%

母卷缠绕膜 JUMBO STRETCH FLIM

母卷拉伸膜主要供分切商使用，再分卷成适用于手用和机用的小卷。
Jumbo stretch film is mainly supplied to converters, who rewind it into smaller rolls for manual and machine use.



厚度 Thickness	8-9 μm	10-11 μm	12 μm
宽度 Width	250,400,450,500 mm	250,400,450,500 mm	250,400,450,500 mm
净重 Net weight	25-58kgs	25-58kgs	25-58kgs
延伸性 Elongation	120-200%	150%-250%	150%-250%
颜色 Colour	透明 Transparent	透明 Transparent	透明 Transparent

厚度 Thickness	15-16 μm	17-23 μm	30-35 μm
宽度 Width	250,400,450,500 mm	250,400,450,500 mm	250,400,450,500 mm
净重 Net weight	25-58kgs	25-58kgs	25-58kgs
延伸性 El	120-300%	150%-350%	150%-500%
颜色 Colour	透明 Transparent	透明，黑色，白色，蓝色和定制颜色 Transparent, black, white, blue and customized color	

客户 CUSTOMERS



宝武集团
BAOWU



浦项
POSCO



安塞乐米塔尔
ARCELORMITTAL



永青
ETERNAL TSINGSHAN



信义玻璃
XINYI GLASS



金光纸业
APP



圣戈班
SAINT-GOBAIN



北新建材
CNBM



福耀玻璃
FUYAO GLASS



天合光能
TRINA SOLAR



紫金矿业
ZIJIN MINING



江西铜业
JIANGXI COPPER



雪花啤酒
SNOW




中国铝业
CHALCO



REACH
ROHS
MSDS



ISO9001
ISO14001
ISO45001



AAR

证书 CERTIFICATION

